

BT801: Aluminum Rollator

- With LED light
- Adjustable handle
- Adjustable seat height
- Detachable rear wheels
- Rotatable front wheel
- With cane holder and shopping bag



BT806: Aluminum rollator

- With LED light
- Adjustable handle and seat height
- Detachable rear wheels
- Rotatable front wheels
- With cane holder and shopping bag

BT807: Deluxe Aluminum Rollator

- Foldable packing, easy for storage
- One touch locking loop brake system
- Aluminum lightweight structure
- Mesh cloth seat attache
- Removable shopping bag
- Adjustable handle height



BT804: Aluminum transfer rollator

- Comfortable for transferring people
- Aluminum lightweight structure
- Adjustable handle height
- Detachable footrest
- With cane holder
- 8" front and rear wheels



BT817: Aluminum rollator

- With LED light
- Adjustable handle and seat height
- Detachable rear wheels
- Rotatable front wheels
- With cane holder and shopping bag
- 8" front and rear wheels

SPECS(cm)

MODEL	Seat H	Seat W	Seat D	Front W	Front D	Front H	Front R	Front L	Front T	Weight (kg)	DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN
BT801	64	49	48	20.3	25.4	45-53.9	80.9-90.9	69.4	33	136	59*44*21	9.29/10.29	513	1248	1
BT806	64	49	48	20.3	25.4	45-53.9	80.9-90.9	69.4	33	136	59*44*21	9.29/10.29	513	1248	1

SPECS(cm)

MODEL	Seat H	Seat W	Seat D	Front W	Front D	Front H	Front R	Front L	Front T	Weight (kg)	DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN
BT804	66	86	50	20*3.7	20*3.7	56	85.5-98.5	67	30	136	71.5*29*88	8.9/9.9	154	372	1
BT807	62	36	50	20.3	20.3	54	79-92	67	25	136	66*29*37	7.8/8.8	400	972	1
BT817	41.4	41.4	41.3	20.3	20.3	47.1-57.3	85.5-105.5	75	38.4	136	73.5*44*27	9.08/10.08	320	779	1

➤ BT802: Aluminum rollator

- Knock down packing for easy storage
- Easily squeezed and released
- Hand brakes come with locking mechanism
- Adjustable handle height
- With 6" wheels and PVC soft seat
- Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket



➤ BT803: Aluminum rollator

- Adjustable handle height Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PU soft seat
- Nice design of cross bar.
- Foldable backrest and Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket



➤ BT805: Aluminum rollator

- Adjustable handle height
- Knock down packing for easy storage
- Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PVC soft seat
- Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket
- Movable footrest for extra comfort



➤ BT808: Aluminum rollator

- Adjustable handle height
- Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PVC soft seat
- Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket



➤ BT809: Aluminum rollator

- Adjustable handle height
- Easily squeeze and release
- Handbrakes come with locking mechanism
- With 6" wheels and PVC soft seat
- Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket



➤ BT814: Extra wide steel rollator

- Adjustable handle height
- Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PVC soft seat
- Foldable backrest frame for easy carry
- With shopping basket



➤ BT816: Aluminum rollator

- Adjustable handle height
- Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PVC soft seat
- Tool free detachable backrest
- Foldable frame for easy carry
- With shopping bag

SPECS(cm)	MODEL	DIM										KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN	
		61	22	45	15	15	50	73-96	61	28	115					54*19*48
	BT802	59	22	45	15	15	50	73-96	61	28	115	54*19*48	8.88/10.38	568	1380	1
	BT803	59	22	45	20	20	50	78-101	66	28	115	54*19*48	7.5/8	568	1380	1
	BT805	61	22	45	20	20	54	78-89	25	25	115	60*22*83	8.8/10.3	271	627	1

SPECS(cm)	MODEL	DIM										KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN	
		61	22	45	15	15	54	60-90	69	25	115					60*22*83
	BT808	61	22	45	15	15	54	60-90	69	25	115	60*22*83	7.6/10.3	262	627	1
	BT809	61	22	45	15	15	54	79-90	69	25	115	68*22*80	8.1/9.6	271	677	1
	BT814	74	22	56	20	20	55	69	23	78-89	170	73*23*85	9.2/10.7	196	520	1
	BT816	61	23	45	20	20	54	80-88	67	25	115	63*24*85	8.3/10	271	540	1



➤ **BT818:** Aluminum rollator

- Handle Height adjustable
- With 6" wheels and PVC soft seat
- Push down brakes
- With shopping basket



➤ **BT819:** Aluminum rollator

- Handle Height adjustable
- With 5" wheels and PVC soft seat
- Push down brakes
- With shopping basket



➤ **BT820:** Aluminum rollator

- Adjustable handle height
- Easily squeeze and release
- Hand brakes come with locking mechanism
- With 8" wheels and PU soft seat
- Nice design of cross bar
- Foldable backrest and Tool free detachable backrest
- Foldable frame for easy carry
- With shopping basket



➤ **BT855:** Aluminum tricycle rollator

- Adjustable handle height
- Aluminum lightweight frame
- Easily squeeze and release
- Hand brakes come with locking mechanism
- Shopping bag and basket included
- With 8" wheels

SPECS(cm)	MODEL	DIM								kg	DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN	
	61	20	15	13	15	54	62	24	79-90							110
	BT818	61	20	15	13	15	54	62	24	79-90	110	63*23*85	7.2/8.7	236	570	1
	BT819	61	20	44	13	13	53	61	24	78-89	110	63*23*85	7.2/8.7	236	570	1
	BT820	61	22	45	20	20	56	79-90	69	26	115	63*24*85	7.8/9.3	222	504	1
	BT855	62	24		20	20		57		82-97	110	66*31*71	6.8/15.1	354	534	2



➤ **BT850:** Steel forearm rollator

- Adjustable handle height
- Steel powder coated frame
- PU seat with 8" bigger wheels
- Basket and meal plate are included
- Forearm braking system



➤ **BT851:** Four-wheel steel rollator

- Adjustable handle height
- Steel powder coated frame
- PU seat with 8" bigger wheels
- Basket and meal plate are included
- Loop braking system



➤ **BT853:** Steel tricycle rollator

- Adjustable handle height
- Steel powder coated frame
- Easily squeeze and release
- Hand brakes come with locking mechanism
- Shopping bag and basket included
- With 8" bigger wheels



➤ **BT854:** Delta rollator

- Adjustable handle height
- Steel powder coated frame
- Shopping bag and basket included
- Push down brakes
- With 8" bigger wheels

SPECS(cm)	MODEL	DIM								kg	DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN	
	60	24	42	20	20	62	76	62	78.5-91							110
	BT850	60	24	42	20	20	62	76	62	78.5-91	110	60*26*71	11/12.5	252	579	1
	BT851	60	42	62	20	20	23	76	62	102-115	100	60*26*71		252	579	1
	BT852	62	24		20	20		57		84-100	110	66*31*71	7.5/16.5	354	834	2
	BT853	62	24		20	20		57		82-97	110	66*31*71	7.5/16.5	354	834	2



➤ **BT901: Aluminum wheelchair**

- Nylon upholstery seat
- Powder coated frame
- Single cross bar
- 24" solid mag wheel with adjustable height function
- Detachable footrest and armrest



➤ **BT902: Aluminum wheelchair**

- Nylon upholstery seat
- Powder coated frame
- Double cross bar
- 24" spoke wheel
- Detachable footrest and flip up armrest



➤ **BT903: Aluminum wheelchair**

- Nylon upholstery seat
- Flip up armrest
- Detachable footrest
- 24" Pneumatic rear wheels and 6" front wheels
- With handle brakes



➤ **BT904: Aluminum wheelchair**

- Nylon upholstery seat
- Powder coated frame
- Double cross bar
- 24" Mag wheel
- detachable footrest and flip up armrest

MODEL	DIM										DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN	
	63	30	46	62	20	50	91	102	40	40						
BT901	63	30	46	62	20	50	91	102	40	40	110	79*28*90	16/18	126	344	1
BT902	58	28	46	61	15	51	87	103	40	39	100	84*33*93	16/18	126	282	1
BT903	62	28	46	58	15	50	89	103	40	39	100	80*28*90	13.6/16.3	126	282	1
BT904	65	30	46	62	20	50	93	103	40	40	100	86*29*95	16.7/18.7	104	242	1



➤ **BT911: Aluminum wheelchair**

- Upholstery seat, handle brakes included
- Drop back handles
- Light weight frame
- Double cross bar
- 24" spoke wheels
- Fixed footrest and armrest



➤ **BT912: Aluminum wheelchair**

- Upholstery seat
- Handle brakes included
- Light weight frame
- Double cross bar
- 24" spoke wheel
- Fixed footrest and armrest



➤ **BT913: Aluminum wheelchair**

- Upholstery seat
- Handle brakes included
- Light weight frame
- Double cross bar
- 24" spoke wheels
- Fixed footrest and armrest



➤ **BT914: Aluminum wheelchair**

- Upholstery seat with drop back handle
- Light weight frame
- Double cross bar
- 24" spoke wheel
- Handle brakes included
- Fixed footrest and armrest

MODEL	DIM										DIM	kg	CNTS 20FCL	CNTS 40HQ	PC/CTN	
	63	26	43	60	20	50	90	92	40	40						
BT911	63	26	43	60	20	50	90	92	40	40	110	89*29*78	13/15	153	359	1
BT912	63	26	43	61	15	50	90	92	40	40	110	89*29*91	13/15	112	281	1
BT913	63	30	43	55	15	50	85	90	40	40	100	89*29*91	13/15	112	281	1
BT914	57	28	43	56	15	48	87	88	40	43	100	89*28*74	13/15	155	360	1



➤ **BT915:** Aluminum wheelchair

- Upholstery seat, handle brake included
- Light weight frame, double cross bar
- 22" spoke solid wheel, fixed footrest and armrest



➤ **BT916:** Aluminum light weight wheelchair

- Upholstery seat Light weight, powder coated frame
- Double cross bar, loop-brake system
- Fixed armrest and footrest



➤ **BT918:** Aluminum wheelchair

- Upholstery seat, handle brake included
- Light weight frame, double cross bar
- Drop back handle, 24" mag wheel Fixed footrest and armrest



➤ **BT919:** Aluminum wheelchair

- Upholstery seat, handle brake included
- Light weight frame, double cross bar
- 24" spoke solid wheel, fixed footrest and armrest

SPECS(cm)	MODEL	63	30	43	56	15	44	85	102	40	40	100	DIM	KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN
	BT915	63	30	43	56	15	44	85	102	40	40	100	90*29*86	13/15	126	333	1
BT916	62	26	43	38	15	43	84	97	40	40	100	82*28*88	11.6/13.6	136	340	1	
BT918	63	30	43	55	15		85	90	40	40	100	90*29*86	12/14	175	407	1	
BT919	63	30	43	60	20	46	87	102	40	40	100	92*28*88	12/14	124	294	1	



➤ **BT941:** Aluminum light weight wheelchair

- Upholstery seat, drop-back handle, handle brakes included
- Light weight powder coated frame
- Double cross bar
- 16" mag wheels, fixed footrest and armrest



➤ **BT942:** Aluminum light weight wheelchair

- Upholstery seat, drop-back handle
- Light weight powder coated frame, double cross bar
- 16" mag wheels, Dechable footrest and fixed armrest, handle brakes included



➤ **BT945:** Aluminum transport wheelchair

- Aluminum frame finished by anodized color
- Nice design of armrest, swing away footrest
- 12" PU rear wheels, drop back handles, with handle brakes



➤ **BT946:** Aluminum light weight wheelchair

- Upholstery seat, drop-back handle, light weight anodized shine color
- Flip up armrest, swing away footrest
- Double cross bar, 12" mag wheels

SPECS(cm)	MODEL	55	27	43	40	15	50	85	83	39	39	100	DIM	KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN
	BT941	55	27	43	40	15	50	85	83	39	39	100	82*28*75	10.5/12.5	147	342	1
BT942	59	26	43	20	20	50	94	103	40	43	100	92*27*88	11.9/13.9	240	495	1	
BT945	65		46	31	38	17	49	88	40	40	100	72*30*72	11.9/13	180	438	1	
BT946	52	25	38	20	15	35	78	76	40	36	80	53*29*55	5/6.5	255	640	1	



BT963: Heavy duty wheelchair

- Steel chrome frame, detachable armrest and footrest
- 24" mag rear wheels, 8" solid front castor
- Leather seat
- Double cross bar



BT964: Steel wheelchair

- Steel powder coated frame
- Fixed armrest, detachable footrest
- 24" Pneumatic rear wheels, 8" solid front castor
- Single cross bar



BT972

- Steel chrome frame, leather seat
- Fixed armrest and footrest, single cross bar
- 24" solid rear spoke wheels, 8" solid castor



BT973

- Steel powder coated frame, leather seat
- Fixed armrest and footrest
- 24" solid rear spoke wheels, 8" solid front castor

SPECS(cm)	MODEL	DIM										KgS		CNTS 20FCL	CNTS 40HQ	PC/CTN	
	BT963	76	30	56	62	20	46	87	109	40	40	136	79*28*88	21.5/23.5	152	352	1
	BT964	63	27	43	60	20	50	89	79	40	38	100	80*26*89	17.5/19.5	152	389	1
	BT972	64	24	46	60	20	45	87	92	40	43	100	93*23*89	15.8/17.8	144	378	1
	BT973	64	24	46	60	20	45	87	92	40	43	100	93*23*89	15.8/17.8	144	378	1



BT969

- Steel chrome frame, leather seat
- Fixed armrest and footrest
- 24" mag rear wheels, 8" solid front castor
- Single cross bar



BT973-35: Children wheelchair

- Steel powder coated frame
- Fixed armrest and footrest
- 20" solid rear wheels, 6" solid front castor



BT976: Heavy duty steel wheelchair

- Steel chrome frame, Leather seat
- Fixed armrest and footrest
- 24" spoke rear wheels, 8" solid front castor
- Double cross bar



BT971: Steel Wheelchair

- Steel powder coated frame, leather seat
- Fixed armrest and detachable footrest
- 12" PU mag rear wheels, 8" solid front castor

SPECS(cm)	MODEL	DIM										KgS		CNTS 20FCL	CNTS 40HQ	PC/CTN	
	BT969	65	23	46	60	20	47	88	93	40	43	100	93*26*89	15.6/17.6	124	272	1
	BT973-35	57	24	35	50	15	40	85	104	40	42	100	82*22*85	12.5/14.5	168	420	1
	BT971	59	25	41	30	20	48	88	98	40	42	100	77*25*88	14/16	153	405	1
	BT976	64	24	46	60	20	45	87	92	40	43	100	93*23*89	15.8/17.8	144	378	1



➤ **BT974: Steel Wheelchair**

- Steel powder coated frame, leather seat
- Detachable armrest and footrest
- 12" PU mag rear wheels, 8" PU front castor



➤ **BT975: Transport wheelchair**

- Steel chrome frame, Drop back handle ,with safety belt
- Fixed armrest and detachable footrest
- 8" solid front and rear castor



➤ **BT6021: Electric Wheelchair**

- Electromagnetic brake, easy to fold, portable
- Electrical folding wheel chair, quick-removal battery box and high strength steel body. The battery box can be taken away from the body for recharging and the controller can move around
- Color: silver
- Overall width: 65cm, seat width: 45cm
- Seat depth: 43cm; Overall height: 92cm
- Battery: 12V 12AH**2pcs
- Controller: Beiz brushless controller
- Motor: Brushless motor 300W*2pcs Electromagnetic brake
- Max load: 75kg
- Driving Range: 15KM (decided by the weight and road condition)
- Tires (rear): 12inch; Tires (front): 8inch
- Max speed: 6KM/H



➤ **BT8301: Electric Wheelchair**

- Overall Length: 130cm
- Overall Width: 62cm
- Overall height: 131cm
- Motor power: 500W
- Max speed (forward): 10km/h
- Voltage: 24V
- Battery capacity: 12V 20AH*4pcs
- Tire: 10 inch*2 12inch*2
- Weight capacity: 150kg

SPECS(cm)	MODEL	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	DIM	KgS	CNTS 20FCL	CNTS 40HQ	PC/CTN
	BT974	57	22	45	30	20	50	86	76	40	43	100	82*26*89	14.9/6.9	140	312	1	
	BT975	60	30	41	40	20	50	102	68	40	43	100	63*26*76	12.9/14.9	216	504	1	



➤ **BT1001: Aluminum shower chair with commode**

- Aluminum liquid coated, water proof frame, PU seat
- Backrest tilting function and height adjustment function
- Flip up armrest and detachable footrest
- 5" castors with brake



➤ **BT1002: Steel reclining commode wheelchair**

- Steel chrome frame, PE+PVC seat
- Fixed armrest and detachable footrest
- 8" solid front and rear castor
- Drop back handle ,with safety belt



➤ **BT1003: Roll-in shower chair series**

- Aluminum frame with stainless steel fittings, non-rusting parts, fabric backrest
- Lifetime warranty on chair frame, limited 2-year warranty on balance; Excluding PU foam parts (no warranty)
- 4 x locking castor wheels Front opening commode cushion
- Commode bucket with handle and lid, removed from rear deflector splash guard for use with bucket or without bucket
- Fully height adjustable
- Fold away, lockable and removable arms, swing away and removable footrest
- Soft webbing safety restraint and calf strap, soft grip push handle



➤ **BT1008: Aluminum shower chair with commode**

Aluminum water proof frame, PU seat

SPECS(cm)	MODEL	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	DIM	KgS	CNTS 20FCL	CNTS 40HQ	PC/CTN
	BT1001	58		48	12	12	50-62	131-141	111	45	45	100	82*56*73	12/14	84	168	1	
	BT1002	63	32	43	58	20	53	120	180	43	43	100	94*33*92	26.2/28.5	94	218	1	
	BT1003	56		46			50	103	91	43	53	100						
SPECS(cm)	MODEL	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	DIM	KgS	CNTS 20FCL	CNTS 40HQ	PC/CTN
	BT1008	54		44	10	10		43		92	100		53*42*53	11/12.3	180	368	1	



➤ **BT1004:** Steel commode wheelchair

- Chrome steel frame ,PE+PVC seat
- Flip up armrest, detachable footrest
- 24" spoke rear wheels, 6" solid front castor
- With commode bucket



➤ **BT1005:** Steel commode wheelchair

- Chrome steel frame ,PE+PVC seat
- Fixed armrest and footrest
- 24" spoke rear wheels, 8" solid front castor



➤ **BT1006:** Steel commode chair

- Steel powder coated frame, flip up armrest, detachable footrest
- 5" front and rear castor, two with brakes



➤ **BT1007:** Steel commode chair

- Steel chrome frame, flip up armrest, detachable footrest
- 4" front and rear castor, two with brakes
- With commode bucket

SPECS(cm)	MODEL	DIM									KgS		CNTS 20FCL	CNTS 40HQ	PC/CTN		
											mm	mm					
	BT1004	58	23	46	59	15	39	90	93	40	39	100	76*29*92	20/22	126	272	1
	BT1005	64	24	43	60	20	48	88	92	40	43	100	92*29*89	19/21.3	117	286	1
	BT1006	55		45	12.5	12.5	54	95	82	40	37	100	56*53*57	10.8/12.8	160	420	1



➤ **BT1010:**Stainless steel commode and shower chair

- PVC+PE seat with cover, stainless steel backrest
- Detachable armrest, adjustable footplate
- 4" castors



➤ **BT1008-2:**Stainless steel commode and shower chair

- Water proof PU seat and upholstery backrest
- Detachable footrest ,flip up armrest
- 4" castors, all with brakes



➤ **BT1013:** Aluminum commode chair

- Aluminum frame
- PE+PVC seat
- With anti-slip rubber tips
- With commode bucket



➤ **BT1016:** Aluminum commode chair

- Aluminum anodized frame
- High density commode seat, PE backrest, Anti-skidding rubber tips
- Foldable Packing

SPECS(cm)	MODEL	DIM									KgS		CNTS 20FCL	CNTS 40HQ	PC/CTN	
											mm	mm				
	BT1007	57.5	44		12	12	50.5-62	131-141		100		56*53*57	12.12/13.92	180	420	1
	BT1008-2	54	44		10	10	43	92		100		53*42*53	11/12.3	180	420	1
	BT1010	48	44				47	85		100		53*21*76	8/9.7	330	738	1
	BT1013	44					47	94		100		50*19*75	5.3/6.4	392	954	1
	BT1016	55										51*18*65	5.5/6.5	500	1140	1



BT1011: Steel commode chair

- Steel powder coated frame
- PE+PVC seat
- Leather backrest
- Foldable footrest
- 5" wheels, two with brakes



BT1012: Steel commode chair

- Chrome Steel frame
- PVC seat and backrest
- With commode bucket



BT1017: Steel commode chair

- Steel powder coated frame
- Detachable armrest and footrest
- 4" front and rear wheels four with brakes



BT1018: Stainless steel commode chair

- Commode and shower function
- PVC+PE seat
- Mesh frame backrest
- Flip-up armrest and adjustable footplate
- 5" brakes all with brakes



BT1019: Aluminum commode chair

- High density Soft PVC seat and backrest
- Knock down handles
- Foldable footplate
- With bucket



BT1050: Steel commode chair

- Chrome steel frame
- Foldable packing
- PE seat and backrest
- With bucket

MODEL	DIM							KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN	
	55	44	12.5	12.5	47	82	100					
BT1011	55	44	12.5	12.5	47	82	100	10.5/11.7	326	792	1	
BT1012	44				47	94	100	7.2/8.5	394	957	1	
BT1017	54	44	12.5	12.5	51	81	100	54*53*53	12/14	196	420	1
BT1018	55	46	12.5	12.5	54	96	100	56*56*58	11/12.5	154	374	1
BT1019	56	45	12.5	12.5	46	89	100	49*24*67	8.2/10	340	800	1
MODEL	DIM							KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN	
BT1050	55	46			41-51	74-84	100					50*19*77



BT1051: Steel commode chair

- Height adjustable.
- Steel chrome frame
- Foldable packing
- Four wheels two with brakes
- PE seat and backrest
- With bucket



BT1052: Aluminum commode chair

- Aluminum anodized frame
- PE seat and armrest
- Foldable packing
- With bucket



BT1053: Aluminum commode chair

- Aluminum anodized frame
- PE seat and armrest
- Four wheels two with brakes
- Foldable packing



BT1054: Steel commode chair

- Steel powder coated frame
- With backrest
- Flip up armrest
- Height adjustable footrest
- PE seat



BT1055: Steel commode chair

- Steel Powder Coated Frame
- Height Adjustable
- Quick release backrest
- PE seat



BT1056: 3 In 1 Aluminum Commode chair

- Aluminum Frame
- Height Adjustable
- With backrest
- PE seat with bucket

MODEL	DIM							KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN	
	55	44	45-55	78-88	43	31	100					
BT1051	55	44	45-55	78-88	43	31	100	53*21*77	6.5/8.3	330	738	1
BT1052	48	45	45-55	78-88	43	31	100	53*21*77	3.5/5	330	738	1
BT1053	55	44	45-55	78-88	43	31	100	53*21*77	5.2/7	375	797	1
BT1054	56	49	38-48	64-74	44	25	100	58*58*37	4.2/5.7	225	546	1
BT1055	46	41	40-55	61-76	40	23	100	50*25.5*65	6.4/7.5	338	821	1
BT1056	43	47	41-51	61-71		22	100	66*66*66	3.4/8.6	288	816	4



➤ **BT405: Aluminum shower bench**

- Detachable armrest and backrest
- PE Three-slat seat and backrest
- Height adjustable
- With anti-slip rubber tips



➤ **BT406: Aluminum shower bench**

- Detachable armrest and backrest
- PE Three-slat seat and bigger backrest
- Height adjustable
- With anti-slip rubber tips



➤ **BT407: Aluminum shower chair**

- Detachable armrest and backrest
- High density seat and backrest
- Height adjustable
- With anti-slip rubber tips



➤ **BT408: Aluminum shower & commode chair**

- Detachable armrest and backrest
- High density seat and backrest
- Height adjustable
- With anti-slip rubber tips and commode bucket

SPECS(cm)	MODEL									DIM			CNTS 20FCL	CNTS 40HQ	PC/CTN
											KgS NW/GW	KgS			
	BT405	83	70	41	39	53	81-91	43-53		50.5*21.5*42	5.2/6.9	136	622	1445	1
	BT406	77	70	41	39	53	81-91	43-53		80*22*45	4.68/10.36	136	720	1600	2
	BT407	67.5	62	41	39	48.5	83.5-93.5	46-56		72*52*86	5.72/2	136	83	200	1
	BT408	67.5	62	41	39	48.5	83.5-93.5	46-56		72*52*86	5.72/2	136	83	200	1



➤ **BT409: Aluminum Shower chair**

- Swivel shower seat
- PE seat
- Height adjustable
- With armrest
- With anti-slip rubber tips



➤ **BT410: Stainless steel swivel Shower chair**

- Swivel shower seat
- PE seat
- With armrest
- With bathtub sustainable frame
- With anti-slip rubber tips



➤ **BT411: Aluminum shower chair**

- PE backrest and seat
- Knock down packing design
- Detachable backrest
- Height adjustable
- With anti-slip rubber tips



➤ **BT412: Aluminum shower chair**

- Aluminum shower chair
- Fixed armrest Adjustable height
- PE seat
- With anti-slip rubber tips



➤ **BT424: Aluminum bath seat**

- Aluminum frame
- Fixed seat width
- PE seat board
- undetachable frame



➤ **BT425: Aluminum bath seat**

- Aluminum frame
- Adjustable seat width
- PE seat board
- Detachable handles

SPECS(cm)	MODEL									DIM			CNTS 20FCL	CNTS 40HQ	PC/CTN
											KgS NW/GW	KgS			
	BT409	51	41	37	37	45	76-86	39-49		67*53*32.5	1.8/3.05	100	968	2440	4
	BT410	73	50			52	52			77*56*38	4.32/9.64	100	334	786	2
	BT411	48	50	37	37	45	76-86	39-49		67*53*32.5	1.8/3.05	100	968	2440	4
	BT412	48	38	28			69-81	51-63		55*41*78	5.4/7.3	100	318	772	2
	BT424	73	73	23			18			84*26*41	1.5/9	100	1600	3690	5
	BT425	80-90	42	23		27		22		42*10*25	1.5/2.5	100	2425	5700	1



➤ **BT420: Aluminum Bath Stool**

- Aluminum frame aluminum (6063T5, thickness:1.25MM)
- Blow mold PE seat
- With anti-slip rubber tips



➤ **BT419: Aluminum Bath Stool**

- Aluminum frame aluminum (6063T5, thickness:1.25MM)
- Blow mold Round PE seat
- With anti-slip rubber tips



➤ **BT423: Aluminum knock Down style bath chair**

- Knock down packing style bath chair (aluminum 6063T5 thickness:1.25MM)
- Product size: L450*W480*H370/550mm
- Blow mold PE seat
- With anti-slip rubber tips



➤ **BT422: Aluminum Foldable shower chair**

- Aluminum frame
- Foldable structure
- PE seat
- With anti-slip rubber tips



➤ **BT421: Heavy duty aluminum bath seat**

- Dual cross bars for extra stability (aluminum) (6063T5, thickness:1.25MM)
- Blow mold PE seat and backrest
- With anti-slip rubber tips



➤ **BT418: Aluminum Shower Chair**

- Aluminum frame:Aluminum (6063T5, thickness:1.25MM)
- Blow mold PE seat

MODEL	DIM								KgS Nw/GW	KgS Nw/GW	CNTS 20FCL	CNTS 40HQ	PC/ CTN				
	50	32	34	50	51	50	51	50									
BT418	50								44	39-57	35-53	58*44*49	1.8/9.2	100	1280	3160	4
BT419		32							32	35	35-53	49*39*48	1.22/9.32	100	1700	3600	6
BT420			34	33							33-53	69*35*16	5.2/6.7	100	2800	5800	4
BT421					50	42	27	31.2	60-70	30-40		53*53*40	4.5/5.6	100	1360	3520	2
BT422					51	49.5	31		43-49	48-51	48-51	57*10*40	2.4/3	100	1200	2700	1
BT423					50				44	39-57	35-53	58*44*49	1.8/9.2	100	832	2440	4

SPECS(cm)



➤ **BT416: Steel Bathtub Bar**



➤ **BT415: Steel Bathtub Bar**



➤ **BT442: Bathroom Suction Grip Bar**



➤ **BT430: Raised toilet seat with cover**

Optional sizes: 2", 4", 6"



➤ **BT429: Raised toilet seat without cover**

Size: 4"



➤ **BT431: Raised toilet seat without cover**

Optional sizes: 2", 4", 6"



➤ **BT428: Raised toilet seat with armrest**

- Detachable armrest
- With front clamping mechanism to lock the seat stably
- Size: 4"



➤ **BT414: Shower board Width adjustable**

- Width adjustable
- Detachable handle
- Anti-slip legs



➤ **BT426-1: Aluminum Bathtub Step**

- Aluminum frame
- Blow mold PE seat, One step
- Products size: L410*W270*H150mm
- Packing size: 450x270x190MM/2PCS/1CTN



➤ **BT426-2: Aluminum Bathtub Step**

- Aluminum frame
- Blow mold PE seat, Two steps
- Products size: L410*W270*H150mm
- Packing size: 450x270x190MM/2PCS/1CTN



➤ **BT437: Toilet Safety Frame**

- Heavy duty Steel powder coated frame
- Adjustable height
- Soft armrest



➤ **BT436: Aluminum Toilet seat Safety frame**

- Aluminum frame
- PE waterproof armrest
- Adjustable height
- With Anti-slip rubber tips



➤ **BT427: Aluminum shower chair**

- Aluminum frame
- Soft and upholstry seat
- Adjustable height
- With armrest
- With Anti-slip rubber tips



➤ **BT438: ABS Bathroom Suction Grip Bar**

Bathroom suction grip bar ABS Plastic material



➤ **BT417: Bathroom suction grip bar**

- Steel powder coated frame
- Optional for aluminum frame



➤ **BT435: Chrome Steel Bathtub Bar**

Steel bathtub bar Chrome steel frame



➤ **BT435S: Stainless Steel Bathtub Bar**

Bathtub bar Stainless steel frame



➤ **BT501: Aluminum walker**

- One button folding with castor
- Knock down packing
- Non-reciprocating frame



➤ **BT502: Aluminum walker**

- two button folding with castor
- Knock down packing
- Non-reciprocating frame



➤ **BT503: Non-reciprocating aluminum walker**

- Knock down packing
- With shopping bag & 5' wheels



➤ **BT504: Aluminum walker**

- Knock down packing
- With shopping bag & 5" wheels

SPECs(cm)	MODEL	DIM		W	H	Wt (kg)	DIM	KgS NW/GW	CNTS 20FCL	CNTS 40HQ	PC/CTN
		L	D								
	BT501	60	11	48	79-96.5	100	51*51*50	2.9/3.6	800	1928	1
	BT502	61	10	51	79-96.5	100	51*15*50	2.9/3.6	659	1584	1
	BT503	64.5	11	48	76-94	100	56.5*12*45	2.88/3.76	1048	2402	1
	BT504	64.5	11	48	76-94	100	56.5*12*45	2.88/3.76	1048	2402	1



▶ **BT505: Aluminum Walker**

- Aluminum frame
- Two paddle folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



▶ **BT506: Aluminum walker**

- Aluminum frame
- Two paddle folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With two front 5" wheels



▶ **BT509: Aluminum walker**

- Aluminum frame
- Stand assist feature
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



▶ **BT510: Aluminum walker**

- Aluminum frame
- Stand assist feature
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



▶ **BT507: Aluminum walker**

- Aluminum frame
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



▶ **BT508: Aluminum walker**

- Aluminum frame
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With two front 5" wheels



▶ **BT512: Aluminum walker**

- Aluminum frame
- Come with a polyester seat for extra comfort
- Two paddle folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



▶ **BT513: Aluminum walker**

- Aluminum frame
- With double cross bars
- Double button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips

SPECS(cm)	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
	BT505	61	11	47	77-95	100	55*27*80	2.5/11.5	900	2200	4
	BT506	64	11	51	79-96.5	100	55*27*83	2.8/12.7	900	2000	4
	BT507	52	10	46	76-93.5	100	55*27*80	2.2/10.3	900	2200	4
	BT508	60	10	51	77.5-95	100	56*25*78	2.2/10.3	860	2584	4

SPECS(cm)	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
	BT509	56	10	51	74-96.5	100	57*27*80	9.6/12	908	2112	4
	BT510	56	10	51	74-96.5	100	57*27*80	9.6/12	908	2112	4
	BT512	56	12	46	79-93	100	58*27*80	10.2/11.7	862	2171	4
	BT513	55	10	47	81-98	100	57*27*80	10.4/11.9	877	2209	4



BT514: Aluminum walker

- Aluminum frame
- With Single cross bars
- Double button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With two front 5" wheels



BT515: Aluminum walker

- Aluminum frame
- With double cross bars
- One button folding mechanism
- Reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



BT516: Aluminum walker

- Aluminum frame
- With single cross bar
- One button folding mechanism
- Reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With two front 5" wheels



BT517: Aluminum walker

- Aluminum frame
- With single cross bar
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With two front wheels

	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
SPECS(cm)	BT514	58	12.5	53	81-99	100	54*24*79.5	11.96/13.76	1084	2616	4
	BT515	52	10	46	76-93.5	100	55*27*80	10/11.5	900	2000	4
	BT516	64	10	52	81-99	100	54*26*79.5	11.96/13.76	900	2368	4
	BT517	58	10	47	81-98	100	57*27*80	10.4/11.9	877	2209	4



BT518: Aluminum walker

- One button folding
- Rear wheels with brakes
- Two front 360°swivel wheels
- Non-reciprocating frame
- Adjustable height
- With Single cross bar
- Handles with comfortable handgrips



BT519: Aluminum walker

- Aluminum frame
- With single cross bar
- One button folding mechanism
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



BT520: Aluminum walker

- Aluminum frame, Bronze color
- With single cross bar
- One button folding mechanism
- Reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips



BT521: Aluminum walker

- Aluminum frame
- Foldable structure for convenient storage
- Non-reciprocating frame
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips

	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
SPECS(cm)	BT518	66	12.5	57.5	82.5-92.5	100	56*16*69	3.44/4.95	924	1872	2
	BT519	60	10	47	70-83	100	57*27*76	8.5/10	1044	2464	4
	BT520	52	10	46	76-93	100	57*27*76	8.5/10	1044	2464	4
	BT521	58	10	47	81-98	100	57*27*80	10.4/11.9	877	2209	4



▶ **BT524: Aluminum walker**

- Aluminum frame
- Foldable structure for convenient storage
- With Anti-slip rubber tips
- Adjustable height
- Handles with comfortable handgrips
- With four front wheels
- With backrest and comfortable seat



▶ **BT526: Steel walker**

Steel walker With wheels and seat



▶ **BT532: Aluminum walker**

- Aluminum fixed frame
- With Anti-slip rubber tips
- Handles with comfortable handgrips
- Optional sizes: Large, Medium, Small



▶ **BT537: Toilet Aid**

- Steel powder coated frame
- With Anti-slip rubber tips
- Handles with comfortable handgrips
- Adjustable height

SPECS(cm)	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
						(kg)		(kg)			
	BT524	47		52-62	79-89	100	60*34*89.5	7/11.2	306	744	2
	BT526	35	10	56	45-55	100	66*18*65	6/6.9	800	1968	2
	BT532	55		54	75.5	100	96*68*35	1.3/14.5	1380	3120	10
	BT537	61	11	62	69.5-89.5	100	72*14*63	4.6/19.9	480	1048	1



▶ **BT583: Steel walker**

- Chrome steel frame
- Height adjustable armrest
- Easy to assemble and disassemble



▶ **BT528: Trolley walker**

- Steel powder coated frame
- Four wheels two with brakes
- Two detachable big tray
- With two handles



▶ **BT580: Steel walker Foldable**

- Chrome steel frame
- Four 3" wheels two with brakes
- With a whole for inserting IV pole
- With comfortable seat
- Height adjustable armrest



▶ **BT581: Steel walker Foldable**

- Chrome steel frame
- Four 3" wheels two with brakes
- With a whole for inserting IV pole
- With comfortable seat
- Height adjustable armrest
- With two handles

SPECS(cm)	MODEL								CNTS 20FCL	CNTS 40HQ	PC/CTN
						(kg)		(kg)			
	BT583	74		45	110-155	100	74*15*85	11.9/13.6	150	330	1
	BT528	49.5		61	86-101	50	53*48*36	8.66/10.46	260	600	1
	BT580	63		73	100-125	100	76*26*94	10.8/12.3	150	330	1
	BT581	64		73	110-135	100	76*26*94	11.2/46.3	150	330	1



▶ **BT536: Steel Backrest**

- Steel powder coated frame
- Adjustable angle
- Foldable structure for easy storage
- With head cushion
- Mesh frame of backrest



▶ **BT535: Steel Backrest**

- Steel powder coated frame
- Adjustable angle
- Foldable structure for easy storage
- With head cushion
- Nylon cloth material of backrest



▶ **BT539: Pedal exerciser**

- Chrome steel frame
- With Detachable Handles
- Anti-slip rubber tips
- Footstep with foot belt
- Footstep can be fastened or loosened by knob



▶ **BT540: Pedal exerciser**

- Steel powder coated frame
- Anti-slip rubber tips
- Footstep with foot belt.
- Footstep can be fastened or loosened by knob



BT730



BT731



BT732



BT734



BT736



BT737



BT780



BT781




BT782



BT783



BT784



BT785

SPECS(cm)	MODEL	H	DIM	PC/CTN	kg	kgS	CNTS	CNTS	MODEL	H	DIM	PC/CTN	kg	kgS	CNTS	CNTS
						NW/GW	20FCL	40HQ						NW/GW	20FCL	40HQ
	BT730	73-96	76*29*45	10	100	0.76/9.1	2800	6420	BT780	87-117	86*30*30	10	100	0.51/11.2	7000	18000
	BT731	73-96	76*29*45	10	100	0.76/9.1	2800	6420	BT781	95-126	96*30*30	10	100	0.56/11.84	7000	18000
	BT732	73-96	76*29*45	10	100	0.76/9.1	2800	6420	BT782	94-120	90*30*30	10	100	0.58/13.1	5880	14660
	BT733	73-96	76*38*45	10	100	7.6/9	4065	10237	BT783	94-124	96*31*37	10	100	0.64/14.3	4980	11760
	BT734	73-96	76*29*45	10	100	0.76/9.1	2800	6420	BT784	104-134	106*31*37	10	100	0.66/14.7	4200	10660
	BT736	73-96	76*29*45	10	100	0.76/9.1	2800	6420	BT785	84-114	81*31*37	10	100	0.62/13.9	5440	12740
	BT737	70.5	79*23*45	10	100	0.74/8.9	3120	7250								



BT704 BT705 BT706 BT707 BT708 BT709 BT710



BT711 BT712 BT739 BT740 BT741

SPECS(cm)	MODEL	H	DIM	PC/CTN	KgS	CNTS 20FCL	CNTS 40HQ	MODEL	H	DIM	PC/CTN	KgS	CNTS 20FCL	CNTS 40HQ		
		BT704	152-109.4	137*33*29	20	100	1.1/13.5	4640	10620	BT710	134.5-154	140*33*29	20	100	0.9/10.5	4040
	BT705	126-158.5	101*33*29	20	100	1/11.5	6240	14580	BT711	113-133	120*33*29	20	100	0.78/9.3	4960	11880
	BT706	100-151	120*33*27	20	100	0.8/9.5	4960	11880	BT712	84-114	101*33*29	20	100	0.8/9.5	6240	14580
	BT707	134.5-154	140*33*29	20	100	0.9/10.5	4040	9540	BT739	84.5	85*27*41	10	100	0.84/9.9	2900	6800
	BT708	113-133	120*33*29	20	100	0.8/9.5	4960	11880	BT740	84.5	85*27*41	10	100	0.84/9.9	2900	6800
	BT709	84-114	101*33*29	20	100	0.78/9.3	6240	14580	BT741	84	85*26*40	10	100	0.87/9.7	2900	6800



BT742 BT743 BT744 BT745 BT756



BT757 BT758 BT759 BT760 BT761 BT762

SPECS(cm)	MODEL	H	DIM	PC/CTN	KgS	CNTS 20FCL	CNTS 40HQ	MODEL	H	DIM	PC/CTN	KgS	CNTS 20FCL	CNTS 40HQ		
		BT742	75-98	100*30*30	20	100	0.52/11.9	6000	15600	BT757	85-100	72*30*34	20	100	0.52/6.4	3810
	BT743	75-98	100*30*30	20	100	0.52/11.9	6000	15600	BT758	73-88	79*34*44	20	100	0.78/8.8	2800	6420
	BT744	75-98	100*30*30	20	100	0.52/11.9	6000	15600	BT759	73-96	79*33*45	20	100	0.92/10.7	2250	5350
	BT745	75-98	100*30*30	20	100	0.52/11.9	6000	15600	BT760	70.5-94	79*33*45	20	100	0.92/10.7	2250	5350
	BT746	75-98	100*30*30	20	100	0.52/11.9	6000	15600	BT761	73-96	79*24*45	20	100	0.78/9.3	3300	7750
	BT756	80-87	66*17*29	20	100	7/8	18080	42120	BT762	66-89	80*24*45	20	100	0.74/8.9	3120	7250




BT763 BT764 BT765 BT766 BT765B BT768 BT769 BT770



BT771 BT772 BT773 BT774 BT775 BT776 BT779

MODEL	H	DIM	PC/CTN	Kg	KgS	CNTS 20FCL	CNTS 40HQ
BT763	75.5-98.5	72*33*19	20	100	0.3/7.5	12100	28100
BT764	75.5-98.5	72*33*19	20	100	0.3/7.5	12100	28100
BT765	75.5-98.5	72*33*19	20	100	0.3/7.5	12100	28100
BT766	75.5-98.5	72*33*19	20	100	0.3/7.5	12100	28100
BT765B	75.5-98.5	72*33*19	20	100	0.3/7.5	12100	28100
BT768	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000
BT769	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000

MODEL	H	DIM	PC/CTN	Kg	KgS	CNTS 20FCL	CNTS 40HQ
BT770	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000
BT771	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000
BT772	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000
BT773	77-100	66*17*29	20	100	0.3/7.5	16100	38000
BT774	67.5-90	66*17*29	20	100	0.3/7.5	16100	38000
BT775	79.5-87	63*17*29	20	100	0.34/8.3	17600	40100
BT776	79.5-87	63*17*29	20	100	0.34/8.3	17600	40100
BT779	119	42*12*26	20	100	0.18/5.1	47880	106400



S1 S2 S3 S4 S5



S6 S7 S8 S9 S10 S11 S12



S13 S14 S15 S16 S17 S18 S19



S20 S21 S22 S23 S24 S25 S26 S27 S28 S29 S30 S31 S32 S33



S34 S35 S36 S37 S38 S39